


WR series



WR 320 DXW

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/11/2023



SOUND WITH SOUL

KEY FEATURES

- Installation Line Array
- 2 x 10MI low frequency loudspeakers, 2.5" VCD
- 1 x DAS M-75 compression driver
- DX finish (direct exposure rating)
- Rigging systems for permanent installation. JP-320 plates are included.
- Rigging compatible with the WR-322S-DX

APPLICATIONS

- Professional installation systems
- Houses of worship
- Auditoriums/Theaters
- Theme parks
- Outdoor Applications

DESCRIPTION

The WR-320-DXW has been designed for the outdoor installation market. The birch plywood cabinet construction offers a compact design which is available in white. JP-320 plates are included.

The DX finish protects the cabinets from the elements thanks to a fiberglass exterior augmenting their weather resistance when used in direct exposure situations.

WR 320 DXW

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/11/2023



SOUND WITH SOUL

SPECIFICATIONS

Performance

Frequency Range (-10 dB)	60 Hz – 18 kHz
Horizontal Coverage (-6 dB)	90°
Vertical Coverage	Splay Dependent
Nominal Impedance	16 ohms
RMS Power Handling	500 W
Peak Power Handling	2000 W
On-axis Sensitivity 1W/1 m	99 dB SPL
Maximum Peak SPL at 1 m	132 dB

Recommended Amplifier	INTEGRAL-A402
	INTEGRAL-A404
	INTEGRAL-A1002
	INTEGRAL-A1004
	INTEGRAL-A1602
	INTEGRAL-A1604
	INTEGRAL-MA1004
	INTEGRAL-MA1604
Recommended Processor	INTEGRAL-M88
	INTEGRAL-MA1604
	INTEGRAL-MA1004

Connectors

Audio Input Connector	Covered Barrier Strip Terminals
Audio Output Connector	Covered Barrier Strip Terminals

WR 320 DXW

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/11/2023



SOUND WITH SOUL

Enclosure

Enclosure Construction	Birch Plywood
Enclosure Geometry	Trapezoidal
Rigging	Attachable Rigging System
Finish	Fiberglass
Color	White
IP Rating	IP55
Depth	365 mm (14,4 in)
Dimensions (H x W x D)	270 x 700 x 365 mm 10,6 x 27,6 x 14,4 in
Net Weight	32,5 kg (71,6 lb)


Components

LF Driver	10MI
HF Driver	M-75N
Horn/Waveguide	BPS-90AR

Shipping

Shipping Weight	35,5 kg (78,2 lb)
-----------------	---------------------

DIMENSIONS



WR 320 DXW

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/11/2023



SOUND WITH SOUL

ORDERING INFORMATION

Model	Description	P/N
System		
WR-320-DXW		10428243
Replacement Parts		
10MI	Cone Transducer	20208690
BPS-90AR	Horn	20301050
F-AR320	Filter	30006507
GM-10MI	Recone Kit	20208421
M-75N	Compression Driver	10208030
Accessories		
ANL-2	Rigging Accessories	10101020
AX-WR300-W	Rigging Accessories	10102976
JP-WR320-W	Rigging Accessories	10102978

WR 320 DXW

DAS Audio Group, S.L. - C/ Islas Baleares 24 - 46988
Fuente del Jarro - Valencia - Spain - Tel. +34961340860
Updated (DD/MM/YYYY): 07/11/2023



SOUND WITH SOUL