

SHURE[®]

LEGENDARY
PERFORMANCE[™]



PG ALTA[™] Microphones

**WHERE SERIOUS
SOUND BEGINS.**





PG ALTA™ Microphones
A TRADITION OF TRUE SOUND.

Shure Microphones have always delivered unmatched sound quality and durability, making them essential for stage performance and studio recording around the world. Tailored for performers of every level, Shure offers a complete family of wired microphones to meet any audio need.

With the PG ALTA™ Microphone family, Shure continues its 90-year tradition of manufacturing audio products of the highest quality and construction. Featuring a sleek black metallic industrial design and cardioid polar patterns that reduce feedback and background noise, the PG ALTA family delivers rock-solid sound and reliability that sets the bar for accessible, professional-caliber gear for performance and recording.



A FULL RANGE OF AUDIO OPTIONS.





Vocals

PGA48

CARDIOID | DYNAMIC
Vocal Microphone

A sturdy plug-and-play microphone that delivers excellent sound for spoken word and karaoke performance.



  
70Hz – 15kHz



Instruments

PGA57

CARDIOID | DYNAMIC
Instrument Microphone

Tailored cartridge design for clear sound with amplified instrument and acoustic drum performance and recording.



  
50Hz – 15kHz

PGA58

CARDIOID | DYNAMIC
Vocal Microphone

Tailored cartridge supports natural vocal frequencies for lead and backup performance. Choice of XLR, 1/4" or no cables.






  
50Hz – 16kHz

PGA81

CARDIOID | CONDENSER
Instrument Microphone

Enhanced flat-response microphone for sensitive acoustic instrument performance and recording.



  
40Hz – 18kHz


Side-Address



PGA27

CARDIOID | CONDENSER
**Large Diaphragm
 Side-Address Microphone**

Versatile sound from a large cardioid diaphragm with tailored frequency response and a high SPL threshold.




20Hz – 20kHz

PGA181

CARDIOID | CONDENSER
Side-Address Microphone

Extremely versatile microphone with smooth frequency response for vocals as well as acoustic and amplified instruments.



50Hz – 20kHz

Studio Kit

Wide variety of flexible professional sound solutions that apply to most recording opportunities.

PGASudioKit4

**Four-Piece
 Microphone Kit**



INCLUDES:

- (3) Microphone Clips
- (4) 15ft (4.57m) XLR-XLR Cables
- Soft Zipper Carrying Case

Drum Kits

Essential package of professional quality microphones for a wide variety of drum and percussion applications.

PGADrumKit5

**Five-Piece
 Microphone Kit**



INCLUDES:

- Microphone Clip
- (3) Drum Mounts
- (5) 15ft (4.57m) XLR-XLR Cables
- Soft Zipper Carrying Case

PGADrumKit7

**Seven-Piece
 Microphone Kit**



INCLUDES:


- (3) Microphone Clips
- (3) Drum Mounts
- (7) 15ft (4.57m) XLR-XLR Cables
- Soft Zipper Carrying Case



PGA98H

CARDIOID | CONDENSER
Instrument Microphone


Wind and brass instrument microphone with in-line preamplifier, horn clamp and choice of XLR or TA4F wireless connector.



PGA52

CARDIOID | DYNAMIC
Kick Drum Microphone


Ideal for low frequency performance and recording, featuring swivel joint and quick release latch for fast, flexible positioning.



PGA56

CARDIOID | DYNAMIC
Snare/Tom Microphone


Durable, professional-quality microphone for use with close-mic snare, tom and percussion.



PGA98D

CARDIOID | CONDENSER
Drum Microphone

Optimized drum sound with flexible gooseneck design, molded drum mount and integrated preamplifier for phantom power.



SPECIFICATIONS

Model	Type	Frequency Response	Polar Pattern	Sensitivity (at 1 kHz)	Output Impedance	Maximum SPL (at 1% kHz)	Net Weight
PGA27	Condenser	20 to 20,000 Hz	Cardioid	Open Circuit Voltage -35 dBV/Pa (17.8 mV)	115Ω	130 dB SPL Pad Off (145 dB SPL Pad On)	453 grams (16.0 oz)
PGA48	Dynamic	70 to 15,000 Hz	Cardioid	Open Circuit Voltage -53.5 dBV/Pa (2.10 mV)	600Ω	NA	300 grams (10.58 oz)
PGA52	Dynamic	50 to 12,000 Hz	Cardioid	Open Circuit Voltage -55 dBV/Pa (1.75 mV)	150Ω	NA	454 grams (16.01 oz)
PGA56	Dynamic	50 to 15,000 Hz	Cardioid	Open Circuit Voltage -57 dBV/Pa (1.45 mV)	200Ω	NA	287 grams (10.12 oz)
PGA57	Dynamic	50 to 15,000 Hz	Cardioid	Open Circuit Voltage -56.5 dBV/Pa (1.5 mV)	150Ω	NA	280 grams (9.88 oz)
PGA58	Dynamic	50 to 16,000 Hz	Cardioid	Open Circuit Voltage -55 dBV/Pa (1.79 mV)	150Ω	NA	294 grams (10.37 oz)
PGA81	Condenser	40 to 18,000 Hz	Cardioid	Open Circuit Voltage -48.5 dBV/Pa (3.8 mV)	600Ω	129.5 dB SPL	186 grams (6.56 oz)
PGA98D	Condenser	60 to 20,000 Hz	Cardioid	Open Circuit Voltage -52 dBV/Pa (2.51 mV)	850Ω	130 dB SPL	210 grams (7.41 oz)
PGA98H	Condenser	60 to 20,000 Hz	Cardioid	Open Circuit Voltage -52 dBV/Pa (2.51 mV)	850Ω	130 dB SPL	210 grams (7.41 oz)
PGA181	Condenser	50 to 20,000 Hz	Cardioid	Open Circuit Voltage -38 dBV/Pa (12.7 mV)	120Ω	138 dB SPL	383 grams (13.51 oz)

All specifications subject to change



**United States, Canada,
Latin America, Caribbean:**
Shure Incorporated
5800 West Touhy Avenue
Niles, IL 60714-4608 USA

Phone: 847-600-2000
Fax: 847-600-1212 (USA)
Fax: 847-600-6446
Email: info@shure.com

Europe, Middle East, Africa:
Shure Europe GmbH
Jakob-Dieffenbacher-Str. 12,
75031 Eppingen, Germany

Phone: 49-7262-92490
Fax: 49-7262-9249114
Email: info@shure.de

Asia, Pacific:
Shure Asia Limited
22/F, 625 King's Road
North Point, Island East
Hong Kong

Phone: 852-2893-4290
Fax: 852-2893-4055
Email: info@shure.com.hk